

ILS Laboratories

8222 Vickers St, Suite 106, San Diego, CA 92111
(619) 329-3999 | ils-lab.com

Retatrutide - 30

Tested for: Evo Labz

PASS

COA #: COA-2026-954017
Lot Number: LOT-2025-001
Labeled Content: 30
Sample Matrix: Lyophilized

Analysis Date: 07/17/2026
Appearance: Good
Sample Matrix: Lyophilized
Vial Size: 3mL
Date Received: 07/04/2026



Scan to verify
authenticity at ils-lab.com
Access Code: N3BYQEYR

Method: Blend Purity & Quant (HPLC)

Identity

Retatrutide


Peptide Purity

99.92%

Blend Purity & Quant (HPLC)

Analyte	Specification	Result	Unit	Status
Peptide Purity (HPLC)	>= 95.0%	99.92%	%	PASS
Net Peptide Content	Report Only	31.79	mg	N/A
Identity (HPLC-RTM)	Retatrutide	Confirmed	-	PASS

HPLC Chromatogram



Retatrutide 30 - LOT-2025-001: UV Chromatogram

Notes & Methodology

- Date Tested: 07/17/2026. Methods: Blend Purity & Quant (HPLC).
- The sample was confirmed to be Retatrutide by HPLC. Identification by chromatographic retention time comparison with a reference standard.
- Peptide purity determined by RP-HPLC area normalization at 214 nm. Value represents the percentage of the target peptide relative to all peptide-related peaks. Non-peptide process-related impurities, if detected, are excluded from the calculation.



Handwritten signature

Dr. Greg Kalyuzhny
Lab Director
7/17/2026

COA #: COA-2026-954017
Access Code: N3BYQEYR
Verify: portal.ils-lab.com/verify/-Uv1_FtU8N7L0dpJ
Issued: 7/17/2026